## Mounting systems for solar technology systems











K2 SYSTEMS

GROUND MOUNTED SYSTEMS

N RACK SYSTEM

## **N-RACK SYSTEM**

- ¬ K2 N Rack system for screw foundations and concrete foundations
- ¬ Installation-friendly thanks to ideally coordinated components
- ¬ Optimised for K2 Solid and CrossRail mounting rail ranges
- ¬ Can also be used for difficult soil classes (e.g. conversion and disposal sites)
- ¬ For difficult terrain slopes including east-west balance (up to 20 °)
- ndividual planning and statics for each system
- Very attractive price-performance ratio
- ¬ Tested by leading building aerodynamics engineers
- ¬ Modular structure suitable for any system size

Technical data	12 je
Field of application	Ground mounted
Type of soil	Almost all soil classes
PV modules	Suitable for all standard module types
Module orientation	horizontal / vertical
Material	Aluminium (EN AW-6063 T66), galvanized steel
Connecting elements	Stainless steel screws A2-70
Weight / m² module surface	7,2 kg
Static principles	Calculation principles in accordance with Eurocode 9 - dimensioning and design of aluminium frames; load assumption in accordance with DIN 1055/ Eurocode 1
Span width	3 - 4 m
System components	Individual planning



Novatech | Mallersdorf-Pfaffenberg - Germany System: 3,463 MW | N-Rack System - Screw foundation



Krannich | Domsühl - Germany System: 1 MW | N-Rack System - Screw foundation



Product Sheet N Rack | GB1 | 0312 | Subject to change Product illustrations are exemplary illustrations and may differ from the original.





